



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/021,084	12/19/2001	Lewis Curtis	06502.0383 8738	
7	590 04/06/2005		EXAM	INER
Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P. 1300 I Street, N.W. Washington, DC 20005-3315			THAI, CANG G	
			ART UNIT	PAPER NUMBER
			3629	
			DATE MAILED: 04/06/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/021,084	CURTIS ET AL.			
		Examiner	Art Unit			
		Cang G. Thai	3629			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address			
THE - External after - If the - If NC - Failu Any I	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. It period for reply specified above is less than thirty (30) days, a reply opened for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing end patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)⊠	1) Responsive to communication(s) filed on 12/19/2001.					
2a) <u></u> ☐	This action is FINAL. 2b)⊠ This action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Dispositi	ion of Claims					
5)	4) Claim(s) 1-25 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-25 is/are rejected. 7) Claim(s) is/are objected to.					
Applicati	ion Papers					
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) accomplicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority (under 35 U.S.C. § 119					
12) a)l	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau See the attached detailed Office action for a list	s have been received. s have been received in Application rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachmen	• •	n □ •	(DTO 442)			
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da				
3) 🔲 Infor	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	5) Notice of Informal P 6) Other:	atent Application (PTO-152)			

Application/Control Number: 10/021,084 Page 2

Art Unit: 3629

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 1. Claims 1-25 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent Application Publication No. 2003/0078962 (FABBRICATORE ET AL.).

As for claim 1, FABBRICATORE discloses a method for providing an integrated, enterprise-wide customer relationship management architecture, comprising:

separating services provided by the customer relationship management architecture into tiers {Column 3, Paragraph [0024], Lines 9-11, wherein this reads over "the ICS (integrated communications system) infrastructure has been built with Service Level Agreement (SLA) capabilities that span across all building blocks"}; and

separating hardware and software that host services provided by the customer relationship management architecture into layers {Columns 2-3, Paragraph [0022], Lines 5-9, wherein this reads over "the Information Management Platform 103 including all systems and applications supporting the handling of orders, the initiation of provisioning services, maintaining service quality, billing and administration"}.

Art Unit: 3629

As for claim 2, FABBRICATORE discloses the method of claim 1, further comprising maintaining systemic qualities {See Fig. 1, Element 105}.

As for claim 3, FABBRICATORE discloses the method of claim 2, wherein the systemic qualities are maintained in each of the tiers and in each of the layers {See Fig. 2, Element 204}.

As for claim 4, FABBRICATORE discloses the method of claim 1, wherein the tiers comprises at least one of the following: a client services tier, a presentation services tier, a business services tier, an integration services tier, and a resources services tier {See Fig. 4, Element 404}.

As for claim 5, FABBRICATORE discloses the method of claim 4, wherein the client services tier resides on a client device and manages display and local interaction processing {See Fig. 6, Element 601}.

As for claim 6, FABBRICATORE discloses the method of claim 4, wherein the presentation services tier aggregates and personalizes content and services into channel-specific user interfaces (See Fig. 6, Element 603).

As for claim 7, FABBRICATORE discloses the method of claim 4, wherein the business services tier executes business logic and manages transactions {Column 1, Paragraph [0007], Lines 18-20, wherein this reads over "this transport concept enables the delivery of reliable and redundant long haul and middle mile connectivity in a relatively short time"}.

As for claim 8, FABBRICATORE discloses the method of claim 4, wherein the integration services tier abstracts and provides access to external resources (Columns

Art Unit: 3629

1-2, Paragraph [0008], Lines 8-11, wherein this reads over "a packet-based system allows many customers to use the same transport infrastructure for various types of communications (e.g., voice, data, videoconferencing, et.)"}.

As for claim 9, FABBRICATORE discloses the method of claim 4, wherein the resources services tier comprises at least one of the following: legacy systems, databases, external data feeds, and specialized hardware devices {See Fig. 1, Element 106}.

As for claim 10, FABBRICATORE discloses the method of claim 1, wherein the layers comprises at least one of the following: a hardware platform layer, a virtual platform layer, and an application layer {Fig. 1, Element 108}.

As for claim 11, FABBRICATORE discloses the method of claim 10, wherein the hardware platform layer comprises standard computer hardware and an operating system for running the standard computer hardware {Columns 1-2, Paragraph [0008], Lines 25-29, wherein this reads over "the Integrated Communications System of the present inventions provides a platform that delivers near real time information available to customer"}.

As for claim 12, FABBRICATORE discloses the method of claim 10, wherein the virtual platform layer comprises standard application program interfaces (APIs) and specifications interfacing the hardware platform layer with the application layer (Columns 2-3, Paragraph [0022], Lines 1-5, wherein this reads over "the information management system platform 103, shown in more detail in Fig. 10, integrates all systems needed not only to manage that network and value added services

infrastructure but literally all systems that are needed to run the business of the network operator"}.

As for claim 13, FABBRICATORE discloses the method of claim 10, wherein the application layer comprises application programs (Column 3, Paragraph [0026], Lines 12-14, wherein this reads over "the value added services layer 204 supports web hosting, storage, and messaging services").

As for claim 14, FABBRICATORE discloses the method of claim 1, wherein the systemic qualities comprises at least one of the following: agility, availability, scalability, reliability, and manageability {Column 1, Paragraph [0007], Lines 16-18, wherein this reads over "these technologies provide a self-healing fully redundant and robust (high availability) transport infrastructure"}.

As for claim 15, FABBRICATORE discloses the method of claim 14, wherein the agility systemic quality is characterized by its ability to functionally accept at least one of the following: development without the aid of a software vendor, to be updated without the aid of a software vendor and to be customized without the aid of a software vendor [Column 1, Paragraph [0005], Lines 9-12, wherein this reads over "an ICS in accordance with the present invention can provide a single point of contact for a commercial user, and allows a commercial user to easily upgrade and change its services".

As for claim 16, FABBRICATORE discloses the method of claim 14, wherein the availability systemic quality at least comprises to ability to support stateful sessions {Column 1, Paragraph [0007], Lines 18-20 wherein this reads over "this transport

Art Unit: 3629

concept enables the delivery of reliable and redundant long haul and middle mile connectivity in a relative short time"}.

As for claim 17, FABBRICATORE discloses the method of claim 14, wherein the scalability systemic quality at least comprises the ability to support unpredictable surges in demand for network services {Column 3, Paragraph [0027], Lines 6-7, wherein this reads over "MPLS 302 is a standard technology for speeding up network traffic flow and making it easier to manage"}.

As for claim 18, FABBRICATORE discloses the method of claim 14, wherein the reliability systemic quality is characterized by its ability to functionally accept standard application program interfaces (APIs) that have been tested for reliability {Column 3, Paragraph [0024], Lines 9-11, wherein this reads over "the ICS infrastructure has been built with Service Level Agreement (SLA) capabilities that span across all building blocks"}.

As for claim 19, FABBRICATORE discloses the method of claim 14, wherein the manageability systemic quality is characterized by its ability to functionally accept desirable hardware and software components and integrate them into the customer relationship management architecture {Columns 2-3, Paragraph [0022], Lines 16-21, wherein this reads over "the IMP encompasses the Operations Support System (OSS), the Customer Relationship Management system (CRM), the Billing System, a Business-to-Business engine ensuring the intercommunication with partners and peering carriers, and a series of functional systems supporting finance and human resources requirements"}.

Art Unit: 3629

As for claim <u>20</u>, FABBRICATORE discloses an integrated, enterprise-wide customer relationship management architecture system, comprising:

tiers associated with services provided by the customer relationship management architecture {See Fig. 1, Element 104};

layers associated with hardware and software that host services provided by the customer relationship management architecture {See Fig. 1, Element 103};

systemic qualities which are maintained in each of the tiers and in each of the layers (See Fig. 1, Element 105); and

wherein the tiers, layers, and systemic qualities have an orthogonal relationship {See Fig. 1, Element 101}.

As for claim 21, FABBRICATORE discloses the system of claim 20, wherein the orthogonal relationship comprises each of the systemic qualities being provided in at least one of the tiers, each of the tiers having different optimal choices of implementations in at least one of the layers; and each of the layers enabling different strategies associated with at least one of the tiers {See Fig. 2, Element 205}.

As for claim 22, FABBRICATORE discloses the system of claim <u>20</u>, wherein the tiers comprise at least one of the following: a client services tier, a presentation services tier, a business services tier, an integration services tier, and a resources services tier {See Fig. 4, Element 404}.

As for claim 23, FABBRICATORE discloses the system of claim <u>20</u>, wherein the layers comprise at least one of the following: a hardware platform layer, a virtual platform layer, and an application layer {See Fig. 2, Element 202}.

Application/Control Number: 10/021,084 Page 8

Art Unit: 3629

As for claim 24, FABBRICATORE discloses the method of claim 20, wherein the systemic qualities comprise at least one of the following: agility, availability, scalability, reliability, and manageability {See Fig. 7, Element 707}.

As for claim <u>25</u>, FABBRICATORE discloses a method for providing an integrated, enterprise-wide customer relationship management architecture, comprising:

separating services provided by the customer relationship management architecture into tiers {See Fig. 1, Element 104};

separating hardware and software that host services provided by the customer relationship management architecture into layers {See Fig. 1, Element 102};

maintaining systemic qualities in each of the tiers and in each of the layers {See Fig. 1, Element 105}; and

relating the tiers, layers, and systemic qualities orthogonally wherein each of the systemic qualities being provided in at least one of the tiers, each of the tiers having different optimal choices of implementations in at least one of the layers, and each of the layers enabling different strategies associated with at least one of the tiers {See Fig. 1, Element 101}.

Conclusion

- 2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- I. <u>U.S. Patent:</u>

Art Unit: 3629

 U.S. Patent Application Publication No. 2003/0033155 (PEERSON ET AL.) is cited to teach a method is afforded for providing analytical information to a customer,

Page 9

- U.S. Patent Application Publication No. 2003/0051226 (ZIMMER ET AL.) is cited to teach a system and method of translating an abstract notation of an application to a series of sub-applications representing a central application,
- 3) U.S. Patent Application Publication No. 2002/0073396 (CRUPI ET AL.) is cited to teach a method and apparatus for developing enterprise applications using design patterns, and
- 4) U.S. Patent Application Publication No. 2003/0009740 (LAN) is cited to teach dual and parallel software development model.

Application/Control Number: 10/021,084 Page 10

Art Unit: 3629

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cang (James) G. Thai whose telephone number is (571) 272-6499. The examiner can normally be reached on 6:30 AM - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Weiss can be reached on (703) 308-2702. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CGT 3/25/2005

John G. Weiss Supervisory Patent Examiner Technology Center 3600

pri di